


36 / EVERYDAY HEALTH

When a Younger Number Appears

Biological-age measurements, reliability, and the endpoint behind the score.

JOHN GRIFFIN, MD

REVIEW EDITION · OCTOBER 2026

A measurement is a claim about something

A biological-age score compresses many measurements into a number. That can help research, but the number's meaning depends on what the model was built to predict and how reliably it behaves.

Different clocks can answer different questions. A model trained to estimate chronological age, predict mortality, or summarize a biological process should not be treated as an interchangeable measure of rejuvenation.

Repeatability has more than one layer

An assay can be technically reproducible while a person's readings vary across short intervals. The reliability study in this booklet examines that distinction. The companion methods paper considers false-positive interpretations in aging interventions. [1,2]

This matters especially when someone tests repeatedly and celebrates the most favorable result. The analysis should account for variation, the choice of clock, and the number of comparisons made.

Give the score a useful job

A test becomes more valuable when it answers a question that changes a decision and that change improves an outcome. That chain requires evidence. A younger reading alone does not establish better memory, greater strength, or additional years of life.

Before purchasing or interpreting a test, useful questions include why this clock was chosen, how much change exceeds expected variability, and what would actually be done differently. If the answer is unclear, the score may be more interesting than actionable.

The aim is not to make measurement less ambitious. It is to make interpretation precise enough that an improvement in a number can eventually tell us something dependable about a life.

FROM THE ARISING / 2026-10-16

Before celebrating a younger number, ask which clock moved

An aging-clock methods paper tests how easily an intervention result can depend on the measurement chosen.

An apparently younger biological-age result can be exciting. It can also be difficult to interpret. When different clocks disagree about the same intervention, the first question is not which result sounds best. It is why they disagree.

A paper in Aging Cell re-examined intervention datasets using multiple epigenetic clocks and investigated how reliability affects the interpretation. This is measurement research, not a trial showing that a treatment extended human life.

The single-clock problem

A clock is a statistical model built for a particular purpose. Different models may emphasize chronological age, mortality-related patterns or pace of aging. They are not interchangeable measurements of one directly observable quantity called “how young you are.”

When the authors extended previously published single-clock studies to additional clock models, the additional clocks did not reproduce statistically significant findings. That does not demonstrate that every original intervention failed. It shows why selecting one favorable result is an uncertain basis for a broad rejuvenation claim.

What would increase confidence

The researchers proposed three features that can strengthen interpretation: response in reliable principal-component-based clocks; response in mortality-trained or pace-of-aging clocks; and movement of multiple clocks in the same direction. Simulation and longitudinal analyses supported the importance of reliability.

These are proposed interpretation criteria, not a clinically validated checklist that turns a clock change into proof of benefit. Even agreement across multiple measures would still need connection to outcomes such as function, disease events or survival.

A practical distinction

There are at least two separate questions. Did the assay detect a reproducible change? And does that change mean the intervention improved health? A technically convincing answer to the first cannot automatically answer the second.

For an individual, a before-and-after result may also reflect sampling conditions or variation rather than durable treatment response. The paper does not establish that a particular commercial test can settle the value of a supplement, diet or drug for that person.

Better measurement, better promises

The opportunity is not to abandon aging biomarkers. It is to build studies in which measurements are chosen in advance, uncertainty is visible and clinical outcomes remain part of the design.

For Arising Health, a useful evidence display would show what a clock was designed to predict and what an intervention actually changed. The reader should not have to infer that distinction from a green arrow or a younger-looking number. Precision in the explanation is part of the product’s value.

Sources and evidenceWhen to Trust Epigenetic Clocks: Avoiding False Positives in Aging InterventionsOctober 2026 journal issue · Measurement-method study and reanalysis Open research →

FROM THE ARISING / 2026-10-22

When your biological-age number moves, what moved?

Repeating a laboratory result is not the same as measuring a stable trait

A biological-age test can give the same answer twice from the same blood sample and still be a shaky guide to the person who provided it. An analysis of 18 epigenetic clocks makes that distinction central. Before celebrating a younger number, it helps to ask what kind of change the test can reliably detect.

Sehgal and colleagues used the TranslAGE platform to examine DNA methylation measurements across existing datasets. Published in Aging Cell, the work was a benchmarking study, not a trial of an anti-aging treatment. It assessed both technical and biological reliability.

Two different kinds of consistency

Technical reliability asks whether a laboratory obtains similar results when it runs the same sample again. Most clocks performed well on standard replicate assays. Some were sensitive to factors such as position on a testing slide or the method used to extract DNA. Certain principal-component-based clocks remained more robust across technical conditions.

Biological reliability asks a different question: do repeated samples from the same person, taken within a short interval, produce consistent readings? The researchers examined measurements around meals, acute stress and environmental exposures, as well as samples collected over days.

Here, many clocks were less stable. A test could be technically reproducible while varying substantially within the person. The distinction matters because a technically sound laboratory measurement can still be an uncertain guide to a treatment's effect.

The intervention problem

Imagine testing before and after a new regimen and seeing an apparently younger biological age. If the samples were collected under different conditions, part of the difference might reflect those conditions rather than a durable change attributable to the regimen. That example illustrates the measurement problem; it does not establish that every favorable result is noise.

In the analysis, more reliable clocks tended to produce more stable associations with cognitive outcomes and more consistent responses in intervention datasets. Less reliable measures could yield variable or misleading effects. Technical reproducibility did not predict biological reliability.

How far the finding goes

The datasets varied in size and setting, and several biological-reliability experiments were small and short. The study did not evaluate every consumer service or identify a universal commercial winner. Nor does it show that all epigenetic research lacks value.

Its contribution is more useful than that: it identifies a condition that a meaningful progress measure must satisfy. For an individual, a small change between two tests should not automatically become evidence of rejuvenation. For researchers, stable measurement conditions and biological reliability need to be part of the design.

The aspiration remains compelling. A trustworthy measure could help reveal which interventions matter. But the ability to produce a number comes before the ability to interpret that number with confidence.

Read the research: Primary study / PubMedStudy publication: August 2026. Source edition: October 22, 2026. Open research →

SOURCES & READING SCOPE

Keep the claim beside its evidence

1. Daniel S Borrus, Raghav Sehgal, Jenel Fraij Armstrong, et al. When to Trust Epigenetic Clocks: Avoiding False Positives in Aging Interventions. Aging cell. 2026 Oct;25(10):e70756. doi:10.1111/acel.70756. PMID:42850743. Open source →

2. Raghav Sehgal, Daniel S Borrus, John Gonzalez, et al. Biological Versus Technical Reliability of Epigenetic Clocks and Implications for Disease Prognosis and Intervention Response. Aging cell. 2026 Aug;25(8):e70635. doi:10.1111/acel.70635. PMID:42525215. Open source →

Selected primary publication records and abstracts checked 25–26 October 2026. This is a focused reading companion, not a systematic review, a treatment protocol, or a complete appraisal of methods, supplements and later evidence. The following readings retain the complete article prose from the October 11–25 publishing package; original study context and limitations are preserved.

KEEP FOLLOWING THE IDEA

Part of a connected collection

Return to a subject, follow a related booklet, or explore the wider projects. These links organize reading; they do not imply that one scientific finding proves another.

This booklet online →

Booklet directory · all 48 →

Atlas · Epigenetic clocks →

Arising Health website →

The Arising book →

The Long Game →

Listen & watch →

Related booklets

24 · Rebuilding the School of the Immune System →

39 · The Study That Would Change My Mind →

44 · A Signal You Can Use →

03 · When a Cell Is Asked to Remember Youth →

The online review collection is hosted in the shared Atlas. Its existing access settings apply. The public website remains a separate destination.