
THE ARISING

HEALTH INTELLIGENCE / ARISING HEALTH

FRONTIERS / 05

Editing the Code

What a sickle-cell study shows about gene editing—and why it is not a general treatment for aging.



Alive. Awake. Aware.

John Griffin, MD / Arising Health

READING EDITION / OCTOBER 25, 2026

How to read this companion

Primary 2024 study record and abstract checked October 25, 2026. Current regulatory labeling, site availability and individual treatment eligibility were not assessed. No germline or general longevity application is inferred.

Evidence is attached to the question it answers. Human clinical effects, observational associations, animal experiments, cellular measurements and computational proposals are kept distinct. This reading copy is not individual medical advice.

In this booklet

01 Begin with the patient outcome

02 What was edited–and where

03 The treatment is more than the edit

04 A frontier that has become concrete

Follow the evidence

Each chapter identifies the sources supporting its factual claims. Direct primary-source links and review limitations appear in the reference section. Study dates are retained even when older work provides context for a newer story.

01 / Begin with the patient outcome

Evidence for this chapter: 1. Source details and direct links appear at the end.

Gene editing becomes easier to understand when the story starts with an illness rather than a molecular tool. Severe sickle cell disease can involve repeated vaso-occlusive crises. A study of exagamglogene autotemcel, or exa-cel, asked whether an edited-cell treatment could prevent those events for a sustained period.

The 2024 New England Journal of Medicine report described a phase 3, single-group, open-label study. Participants were 12 to 35 years old and had experienced at least two severe crises in each of the two years before screening. Forty-four received the treatment.

Of the 30 participants with sufficient follow-up for the primary evaluation, 29 were free from severe vaso-occlusive crises for at least 12 consecutive months. All 30 were free from hospitalization for such crises for at least 12 consecutive months. Those are meaningful disease outcomes, not merely changes in a biological-age score.

The denominator is important. “29 of 30 evaluable participants” is not the same statement as “97% of everyone treated was cured.” Follow-up across the treated group was uneven, with a median of 19.3 months in the report. The study had no randomized comparison group.

02 / What was edited–and where

Evidence for this chapter: 1, 2. Source details and direct links appear at the end.

The intervention used CRISPR-Cas9 editing outside the body on a patient’s own blood-forming stem and progenitor cells. The target was an erythroid-specific enhancer region of BCL11A, with the aim of reactivating fetal hemoglobin synthesis. The edited cells were then infused after preparative treatment.

This is a specific biological strategy for a specific disease. It is not an example of editing every cell in a person, reversing all age-related

changes, or demonstrating that the technique can readily be moved into any organ.

“Gene editing” describes a family of methods, not one interchangeable medicine. The target, cells, delivery system and surrounding clinical procedure determine what is being tested. Ex vivo editing also differs from delivering editing machinery directly into a person’s tissues.

That distinction should remain visible when this story appears beside ER-100. The ER-100 protocol concerns regulation of gene-expression programs in retinal cells. The exa-cel study concerns an engineered change in a particular regulatory DNA region in collected blood-forming cells. Both involve sophisticated biology, but their mechanisms and evidence are not interchangeable.

03 / The treatment is more than the edit

Evidence for this chapter: 1. Source details and direct links appear at the end.

Before infusion, participants underwent myeloablative conditioning with busulfan. That preparation is part of the intervention, not a footnote that can be omitted when describing the promise of CRISPR.

The authors described the safety profile as generally consistent with busulfan conditioning and autologous stem-cell transplantation. This does not mean the treatment is a simple injection without substantial burden. A disease-specific program must consider the complete procedure, recovery, monitoring and individual circumstances.

No cancers occurred in the report. That is reassuring within the exposure and follow-up observed, but it cannot establish the absence of a rare or delayed risk across a lifetime. Durable efficacy and long-term safety require continued observation.

The trial’s comparison against a statistical null hypothesis should not be mistaken for a randomized comparison against another treatment.

Its compelling response rate deserves attention while that design limit remains clear.

04 / A frontier that has become concrete

Evidence for this chapter: 1. Source details and direct links appear at the end.

This study offers a useful contrast with much earlier longevity research. The result concerns people with a defined disease and a recognizable clinical outcome: sustained freedom from severe crises. It shows why clinical endpoints matter without making every successful technology a universal anti-aging intervention.

For future gene-editing stories, keep four questions together. What exactly changed? In which cells? What improved for the person? What harms and burdens came with the complete treatment?

This companion examines the published 2024 study. It is not a current regulatory label, an eligibility assessment or a comparison of all available sickle-cell treatments. Those decisions require current specialist review. The enduring insight is that the code can sometimes be changed in a way that changes a life–but the details define the achievement.

Sources & review scope

1. Exagamglogene Autotemcel for Severe Sickle Cell Disease
May 9, 2024 journal issue; background evidence
Single-group, open-label phase 3 clinical study
PubMed · PMID 38661449
Primary record and complete abstract checked October 25, 2026; full-text/supplement appraisal not completed in this pass.

2. ER-100 registered Phase 1 study, NCT07290244
Registry last update May 19, 2026; checked October 25
Sponsor-submitted trial registration; no posted results
ClinicalTrials.gov · NCT07290244
Original announcement or registry read October 25, 2026; not independent adjudication of outcomes.

Illustrations are conceptual editorial art, not photographs of study results or anatomical diagrams. The Horizon and supporting celestial themes are reused from the approved Arising visual collection.

KEEP FOLLOWING THE IDEA

Part of a connected collection

Return to a subject, follow a related booklet, or explore the wider projects. These links organize reading; they do not imply that one scientific finding proves another.

This booklet online →

Booklet directory · all 48 →

Atlas · CRISPR and base editing →

Arising Health website →

The Arising book →

The Long Game →

Listen & watch →

Related booklets

37 · The Ancestor's Genes and What They're Becoming →

29 · What Comes After the Daily Pill? →

31 · Living Medicines That Respond →

27 · Engineering an Organ Supply →

The online review collection is hosted in the shared Atlas. Its existing access settings apply. The public website remains a separate destination.